

FLACC Scale

Category	Scoring		
	1	2	3
Face	No particular expression or smile	Occasional grimace or frown, withdrawn, disinterested	Frequent to constant quivering chin, clenched jaw
Legs	Normal position or relaxed	Uneasy, restless, tense	Kicking, or legs drawn up
Activity	Lying quietly, normal position, moves easily	Squirming, shifting back and forth, tense	Arched, rigid or jerking
Cry	No cry (awake or asleep)	Moans or whimpers; occasional complaint	Crying steadily, screams or sobs, frequent complaints
Consolability	Content, relaxed	Reassured by occasional touching, hugging or being talked to, distractible	Difficult to console or comfort

Each of the five categories (F) Face; (L) Legs; (A) Activity; (C) Cry; (C) Consolability is scored from 0-2, which results in a total score between zero and ten.

FLACC Scoring
 Lucile Packard Children's Hospital
 Heart Center/CVICU
 Alice Rich, RN (arich@lpch.org) – Recommender and Maintainer
 12/08 Last Update

From *The FLACC: A behavioral scale for scoring postoperative pain in young children*, by S Merkel and others, 1997, *Pediatric Nurse* 23(3), p. 293-297. Copyright 1997 by Jannetti Co. University of Michigan Medical Center. Reprinted with permission.